

## CLAIMS

I claim:

- 1 1. A display unit comprising:
  - 2 at least one overlay section set having at least two overlay sections;
  - 3 at least one clip for securing said overlay sections together; and
  - 4 at least one securing platform to support said overlay section set.
- 1 2. The display unit of claim 1, wherein said overlay section set further comprises:
  - 2 a transparent section; and
  - 3 a backing section.
- 1 3. The display unit of claim 1, wherein said clip comprises:
  - 2 a main body;
  - 3 a pressure tab; and
  - 4 a clip notch, wherein said main body and said pressure tab are connected such that they
  - 5 form said clip notch.
- 1 4. The display unit of claim 2, wherein said transparent section includes a recess for said clip.
- 1 5. The display unit of claim 2, wherein said backing section includes a recess for said clip.
- 1 6. The display unit of claim 3, wherein said main body has an artful form.

1 7. The display unit of claim 1, wherein said securing platform further comprises:  
2 a base extension; and  
3 a vertical extension, wherein said base and vertical extensions are connected so as to  
4 support said overlay section set.

1 8. A display unit comprising:  
2 at least two overlay section sets, wherein each of said overlay section sets have at least  
3 two overlay sections; and  
4 at least one double-clip for securing said overlay section sets together.

1 9. The display unit of claim 8, wherein each of said overlay section sets further comprise:  
2 a transparent section; and  
3 a backing section.

1 10. The display unit of claim 8, wherein said double-clip comprises:  
2 a first prong, said first prong having a first main body and a first pressure tab, wherein  
3 said first main body and said first pressure tab are connected such that they form a first clip  
4 notch;  
5 a second prong, said second prong having a second main body and a second pressure tab,  
6 wherein said second main body and said second pressure tab are connected such that they form a  
7 second clip notch; and  
8 a hub that connects said first prong and said second prong at a closed end of said first and  
9 second clip notches.

1 11. The display unit of claim 10, wherein said hub of said double-clip further comprises a hinge  
2 mechanism.

1 12. The display unit of claim 8, wherein said double-clip comprises:  
2 at least two prongs, wherein each of said prongs has a main body and a pressure tab, and  
3 wherein said main body and said pressure tab are connected such that they form a clip notch; and  
4 a hub that connects said prongs at a closed end of each of said prongs.

1 13. The display unit of claim 12, wherein said hub of said double-clip further comprises a hinge  
2 mechanism.

1 14. The display unit of claim 9, wherein said transparent section includes a recess for said clip.

1 15. The display unit of claim 9, wherein said backing section includes a recess for said clip.

1 16. The display unit of claim 10, wherein said first main body has an artful form.

1 17. The display unit of claim 10, wherein said second main body has an artful form.

1 18. The display unit of claim 12, wherein said main body has an artful form.

1 19. The display unit of claim 8 further comprising:

2 at least one securing platform to support said overlay section sets.

1 20. The display unit of claim 19, wherein said securing platform further comprises:

2 a base extension; and

3 a vertical extension, wherein said base and vertical extensions are connected so as to

4 support said overlay section set.

1 21. A display unit comprising:

2 a first overlay section set having a first transparent section and a first backing section;

3 a second overlay section set having a second transparent section and a second backing  
4 section;

5 at least one double-clip connecting said first overlay section set to said second overlay  
6 section set, said double-clip having:

7 a first prong, said first prong having a first main body and a first pressure tab, wherein

8 said first main body and said first pressure tab are connected such that they form a first clip

9 notch, said first clip notch holding said first transparent section and said first backing section to

10 form said first overlay section set;

11 a second prong, said second prong having a second main body and a second

12 pressure tab, wherein said second main body and said second pressure tab are connected

13 such that they form a second clip notch, said second clip notch holding said second

14 transparent section and said second backing section to form said second overlay section

15 set; and

